

TANNING TIME 10 MINUTES



 KBL

K11  
a i r

L O F T

# K11 Air LOFT

Power consumption: 6,5 kW / 6,95 kW (with air conditioning)

Weight: approx. 1907 lbs (with air conditioning)

Bed pane: max. load capacity: 330 lbs

## ELECTRICAL INFORMATION

Protective class: IP20

Mains voltage: 3-phase operation: 220 V / 3~ / 60 Hz | 2-phase operation: 220 V / 2~ / 60 Hz

Wire cross section: 3-phase operation: 4 x AWG10 | 2-phase operation: 3 x AWG8


Circuit breakers: 3-phase operation: 3 x 25 A | 2-phase operation: 2 x 35 A

## MEASUREMENTS

in inches (LENGTH x WIDTH x HEIGHT)

90.6" x 59.5" x 87.8"

Wall clearance: 2"



## EQUIPMENT\*



Errors and omissions possible. KBL reserves the right to change technical data or specifications without notice · [www.kbl-usa.com](http://www.kbl-usa.com)

Contraindication: This product is contraindicated for use on persons under the age of 18 years. "Contraindication: This product must not be used if skin lesions or open wounds are present." "Warning: This product should not be used on individuals who have had skin cancer or have a family history of skin cancer."

"Warning: Persons repeatedly exposed to UV radiation should be regularly evaluated for skin cancer."

\* Fully equipped